L Number	Hits	Search Text	DB	Time stamp
-	30	(database\$1 NEAR1 cache\$1) AND (international AND	USPAT;	2004/04/29 12:22
		business AND machine\$1).as.	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	81	(database\$1 NEAR1 cache\$1) AND 707/\$.ccls.	USPAT;	2002/11/11 17:17
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	60	((database\$1 NEAR1 cache\$1) AND 707/\$.ccls.) NOT	USPAT;	2002/11/11 17:17
		((database\$1 NEAR1 cache\$1) AND (international AND	EPO; JPO;	
		business AND machine\$1).as.)	DERWENT;	
			IBM_TDB	
-	206	database\$1 NEAR1 cache\$1	USPAT;	2002/11/11 17:34
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	20	(joon AND hwang).xa.	USPAT;	2002/11/12 18:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	("5355497"   "5367671"   "5799318"   "5907837"	USPAT	2002/11/11 17:28
		"5978791").PN.		
-	86	(database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:35
		cache\$1)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	43	((database\$1 NEAR1 cache\$1) AND (determin\$3 NEAR6	USPAT;	2002/11/11 17:54
1		cache\$1)) AND network\$3 AND remote\$2	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22375	cache.ti,ab.	USPAT;	2002/11/11 17:54
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	971	cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:57
		machine\$1).as.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	77	(cache.ti,ab. AND (international AND business AND	USPAT;	2002/11/11 17:55
		machine\$1).as.) AND 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	151	cache.ti,ab. AND (microsoft\$1).as.	USPAT;	2002/11/11 17:57
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	6356863.pn.	USPAT;	2002/11/12 16:47
			EPO; JPO;	
			DERWENT;	
	0.50		IBM_TDB	000044404745
-	256	virtual NEAR2 file\$1 NEAR system\$1	USPAT;	2002/11/12 17:15
			EPO; JPO;	
			DERWENT;	
	205	LANGE ALEADO EL-MA ALEADO ANOLAS CAMA	IBM_TDB	2000/44/40 40:54
-	305	virtual NEAR2 file\$1 NEAR2 system\$1	USPAT;	2002/11/12 16:54
			EPO; JPO;	
1			DERWENT;	
1	440	A STATE A DO SIAMA NEADO ANTENDA AND THE DATE	IBM_TDB	2002/44/40 40:54
-	118	(virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1	USPAT;	2002/11/12 16:54
			EPO; JPO;	
			DERWENT;	
	•	// id at NIEADO Stade NIEADO a ataude) AND areas and	IBM_TDB	2002/44/40 40/54
-	80	((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1)	USPAT;	2002/11/12 16:54
		AND distributed!	EPO; JPO;	
			DERWENT;	
			IBM_TDB	L

		-		
-	76	(((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed!) AND network\$1	USPAT; EPO; JPO; DERWENT;	2002/11/12 16:57
			IBM_TDB	
-	19	((((virtual NEAR2 file\$1 NEAR2 system\$1) AND manager\$1) AND distributed!) AND network\$1) AND (load\$3 NEAR2	USPAT; EPO; JPO;	2002/11/12 17:08
		balanc\$3)	DERWENT; IBM_TDB	
-	73	virtual NEAR2 file\$1 NEAR system\$1	US-PGPUB	2002/11/12 17:08
-	98	virtual NEAR2 file\$1 NEAR2 system\$1	US-PGPUB	2002/11/12 17:08
-	360	(virtual NEAR2 file\$1) NEAR4 system\$1	USPAT;	2002/11/12 18:26
			EPO; JPO; DERWENT; IBM_TDB	
-	256	((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5	USPAT; EPO; JPO; DERWENT;	2002/11/12 17:16
			IBM_TDB	
-	20	(((virtual NEAR2 file\$1) NEAR4 system\$1) AND manage\$5) AND (load\$3 NEAR2 balanc\$3)	USPAT; EPO; JPO; DERWENT;	2002/11/12 18:28
			IBM_TDB	
-	3	6081883.uref.	USPAT;	2002/11/12 18:22
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	("5163131"   "5355453"   "5537585"   "5561809"   "5802366"   "5848293"   "5864554"   "5915094"   "5933603"   "5995708"   "6081883"   "6119150"   "6275953").PN.	USPAT	2002/11/12 18:24
-	136	((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.	USPAT;	2002/11/12 18:27
			EPO; JPO; DERWENT; IBM_TDB	
-	0	(((virtual NEAR2 file\$1) NEAR4 system\$1).ti,ab.) AND (load\$3 NEAR2 balanc\$3)	USPAT; EPO; JPO; DERWENT;	2002/11/12 18:28
-	6164	distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)	IBM_TDB USPAT; EPO; JPO;	2002/11/12 18:51
-	419	(distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR	DERWENT; IBM_TDB USPAT;	2002/11/12 18:52
		database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2 system\$1) OR database\$1))	EPO; JPO; DERWENT; IBM_TDB	
	5	((distribut\$4 NEAR6 ((file\$1 NEAR2 system\$1) OR database\$1)) AND (parallel NEAR10 ((file\$1 NEAR2 system\$1) OR database\$1))) AND (virtual NEAR3 file\$1)	USPAT; EPO; JPO; DERWENT;	2002/11/12 18:54
-	1737	(virtual NEAR3 file\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/12 18:54
	4000	((district NEAD2 State4) \ AND mass as off	IBM_TDB	2002/14/42 48:55
-	1009	((virtual NEAR3 file\$1) ) AND manage\$5	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/12 18:55
-	539	(((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)	USPAT; EPO; JPO; DERWENT;	2002/11/12 18:55
-	52	((((virtual NEAR3 file\$1) ) AND manage\$5) AND (distribut\$4)) AND (load\$3 NEAR4 balanc\$3)	IBM_TDB USPAT; EPO; JPO;	2002/11/12 20:04
			DERWENT; IBM_TDB	

-	14424	load\$3 NEAR2 balanc\$3	USPAT; EPO; JPO;	2002/11/12 19:37
	1	,	DERWENT;	
			IBM_TDB	
_	5252	(load\$3 NEAR2 balanc\$3) AND distribut\$4	USPAT;	2002/11/12 19:37
	]		EPO; JPO;	
			DERWENT;	
	476	((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	IBM_TDB USPAT;	2002/11/12 19:38
<del>-</del>	470	NEAR2 process\$3)	EPO; JPO;	2002/11/12 10:00
			DERWENT;	
			IBM_TDB	
-	118	(((load\$3 NEAR2 balanc\$3) AND distribut\$4) AND (parallel	USPAT;	2002/11/12 19:38
		NEAR2 process\$3)) AND (distribut\$4 NEAR4 (file\$1 OR database\$1))	EPO; JPO; DERWENT;	
·		ualabase#1//	IBM_TDB	
_	23958	(load\$3 NEAR4 (balanc\$3 OR distribut\$4)).ti,ab.	USPAT;	2002/11/12 20:05
			EPO; JPO;	
			DERWENT;	
	17791	(load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.	IBM_TDB USPAT;	2002/11/12 20:05
-	17791	(IDAU\$3 NEANZ (Dalanc\$3 ON distribut\$4)).ii,ab.	EPO; JPO;	2002/11/12 20:00
			DERWENT;	
ļ			IBM_TDB	
-	5	((load\$3 NEAR2 (balanc\$3 OR distribut\$4)).ti,ab.) AND (virtual	USPAT;	2002/11/12 20:08
	1	NEAR2 file\$1)	EPO; JPO; DERWENT;	
			IBM_TDB	
_	45	(virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:18
		distribu\$4))	EPO; JPO;	
			DERWENT;	
	270	( district NEAD2 flocks) AND ((storogocks OP dotabococks)	IBM_TDB USPAT;	2002/11/12 20:18
-	378	(virtual NEAR2 file\$1) AND ((storage\$1 OR database\$1) NEAR10 (client\$1 OR user\$1))	EPO; JPO;	2002/11/12 20:10
		142/11/10 (01/01/4/10/14/1/)	DERWENT;	
			IBM_TDB	
-	15	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND mover\$1	EPO; JPO; DERWENT;	
			IBM TDB	
_	10	((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	USPAT;	2002/11/12 20:24
		distribu\$4))) AND bypass\$3	EPO; JPO;	
			DERWENT;	
	1	(((virtual NEAR2 file\$1) AND (load\$3 NEAR4 (balanc\$3 OR	IBM_TDB USPAT;	2002/11/12 20:24
-		distribu\$4))) AND mover\$1) AND bypass\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/44/40 40:00
-	2	6324581.pn. AND mover\$1	USPAT; EPO; JPO;	2002/11/13 13:29
			DERWENT;	
			IBM_TDB	
-	0	6324581.pn. AND multicast\$3	USPAT;	2002/11/13 13:28
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	1	(6324581.pn. AND mover\$1) AND updat\$3	USPAT;	2002/11/13 13:28
		, , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	·
	_	6224591 nn AND (mover\$1 NEAD9 undet\$2)	IBM_TDB USPAT;	2002/11/13 13:31
-	1	6324581.pn. AND (mover\$1 NEAR8 updat\$3)	EPO; JPO;	2002/11/13 13.31
			DERWENT;	
			IBM_TDB	
-	2	6324581.pn. AND (mover\$1 NEAR8 metadata)	USPAT;	2002/11/13 13:34
			EPO; JPO;   DERWENT;	
		· ·	IBM_TDB	
Cooreh Histo	<u> </u>	9:00:22 PM Page 2		

-	1	6324581.pn. AND (mover\$1 NEAR10 metadata) AND (mover\$1 NEAR10 (updat\$3 OR chang\$3))	USPAT; EPO; JPO;	2002/11/13 15:20
_	44	(virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1	DERWENT; IBM_TDB USPAT;	2002/11/13 13:56
		cast\$3))	EPO; JPO; DERWENT; IBM_TDB	
-	0	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))) AND (parralel NEAR4 process\$4)	USPAT; EPO; JPO; DERWENT;	2002/11/13 13:53
	16	((virtual NEAR4 file\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))) AND (parallel NEAR4 process\$4)	IBM_TDB USPAT; EPO; JPO;	2002/11/13 13:54
			DERWENT; IBM_TDB	
-	652	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR4 protocol\$1)	USPAT; EPO; JPO; DERWENT;	2002/11/13 13:57
-	514	((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)	IBM_TDB USPAT; EPO; JPO;	2002/11/13 13:57
			DERWENT; IBM_TDB	
-	37	(((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR2 protocol\$1)) AND (parallel NEAR4 process\$4)	USPAT; EPO; JPO; DERWENT;	2002/11/13 13:58
		_	IBM_TDB	,
-	1	6324581.pn. AND ((mover\$1 NEAR10 metadata) NEAR10 exchang\$3)	USPAT; EPO; JPO; DERWENT;	2002/11/13 14:08
-	1	6324581.pn. AND cach\$3	IBM_TDB USPAT; EPO; JPO;	2002/11/13 15:23
_	1	6081883.pn. AND cach\$3	DERWENT; IBM_TDB USPAT;	2002/11/13 15:29
			EPO; JPO; DERWENT; IBM TDB	
-	2	5948062.pn. AND load\$3	USPAT; EPO; JPO; DERWENT;	2002/11/13 15:33
-	1	6453323.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 16:16
-	8	   ("5469560"   "5692155"   "5758190"   "5768620"   "5813042"     "5968182"   "6088815"   "6304980").PN.	IBM_TDB USPAT	2002/11/13.15:56
-	0	6304980.pn. AND geographical\$2	USPAT; EPO; JPO; DERWENT;	2002/11/13 16:17
-	2	6442548.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/13 16:38
_	2	5937406.pn.	IBM_TDB USPAT; EPO; JPO;	2002/11/14 17:38
-	0	5937406.pn. AND cach\$3	DERWENT; IBM_TDB USPAT; EPO; JPO;	2002/11/13 18:00
			DERWENT; IBM_TDB	

		•		
-	1	5937406.pn. AND memor\$3	USPAT; EPO; JPO;	2002/11/13 18:01
-	0	6304967.pn. AND translat\$4	DERWENT; IBM_TDB USPAT; EPO; JPO;	2002/11/14 10:50
  -	3	6081883.uref.	DERWENT; IBM_TDB USPAT; EPO; JPO;	2002/11/14 11:17
-	1	6081883.uref. AND translat\$4	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 10:52
-	13	"5848293"   "5864554"   "5915094"   "5933603"   "5995708"	IBM_TDB USPAT	2002/11/14 11:15
-	172	"6081883"   "6119150"   "6275953").PN. (front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)	USPAT; EPO; JPO; DERWENT;	2002/11/14 11:36
-	161	((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:18
-	108	((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND remot\$2	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:19
-	50	(((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:37
-	38	storage\$1)) ((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:20
-	12	OR storage\$1))) AND parallel ((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND (distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))) NOT ((((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1)) AND	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 11:36
-	1105	(distribut\$4)) AND (remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))) AND parallel) multi ADJ1 tier\$1	USPAT; EPO; JPO; DERWENT;	2002/11/14 11:36
-	12	(multi ADJ1 tier\$1) AND ((front ADJ1 end\$1) AND (back ADJ1 end\$1) AND network\$3 AND (file\$1 NEAR2 server\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:36
-	29320	(remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:37
-	87	((remot\$2 NEAR4 (site\$1 OR server\$1 OR database\$1 OR storage\$1))) AND (multi ADJ1 tier\$1)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 11:38
-	1	5692155.pn. AND kilometer\$1	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 12:25
			IBM_TDB	

-	0	5692155.pn. AND search\$3	USPAT;	2002/11/14 12:25
			EPO; JPO;	
			DERWENT;	
1	0	5692155.pn. AND mapping	IBM_TDB   USPAT;	2002/11/14 12:26
-	"	5092 155.pri. AND mapping	EPO; JPO;	2002/11/14 12.20
			DERWENT;	
			IBM_TDB	
_	22	5692155.uref.	USPAT;	2002/11/14 17:47
		5552 155.4151.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	5692155.uref. AND address\$2	USPAT;	2002/11/14 17:52
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000444444750
-	48	(secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)	USPAT;	2002/11/14 17:53
			EPO; JPO;	
			DERWENT;	
	1 44	((accorder, NEAP2 device\$1) AND (in NEAP2 address\$2))	IBM_TDB USPAT;	2002/11/14 18:03
-	14	((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2)) AND backup	EPO; JPO;	2002/11/14 10:03
		AND DOCKUP	DERWENT:	
			IBM_TDB	
_	3	(((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:23
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	
		address\$2))	DERWENT;	
			IBM_TDB	
-	0	((((secondary NEAR2 device\$1) AND (ip NEAR2 address\$2))	USPAT;	2002/11/14 18:21
		AND backup) AND (differen\$3 NEAR10 (ip NEAR2	EPO; JPO;	
		address\$2))) AND search\$3	DERWENT;	
		100.00	IBM_TDB	0000444444
-	12223	search\$3 NEAR10 (backup OR second\$3)	USPAT;	2002/11/14 18:23
			EPO; JPO;	
			DERWENT; IBM_TDB	
	1748	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 18:24
-	1740	second\$3)	EPO; JPO;	2002/11/14 10:24
		3000/1440/	DERWENT;	
			IBM_TDB	
_	149	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 19:26
	İ	(second\$3 NEAR2 (storage\$1 OR device\$1)))	EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	3	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (backup OR	USPAT;	2002/11/14 18:26
	}	(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	
	1		DERWENT;	
1_	6	((search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR	IBM_TDB USPAT;	2002/11/14 18:29
-		(second\$3 NEAR2 (storage\$1 OR device\$1)))) AND ip	EPO; JPO;	2502/11/17 10.29
	1	(SSSS) AND THE TIME (STOTAGE OF ACTION 1)	DERWENT;	
			IBM_TDB	
-	191	(search\$3 NEAR4 (file\$1 OR data)) NEAR10 (archiv\$3 OR	USPAT;	2002/11/14 18:39
		(second\$3 NEAR2 (storage\$1 OR device\$1)))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	76	707/204.ccls. AND (search\$3 NEAR4 file\$1)	USPAT;	2002/11/14 18:47
			EPO; JPO;	
			DERWENT;	
	1	(707/204.ccls. AND (search\$3 NEAR4 file\$1)) AND failover	IBM_TDB USPAT;	2002/11/14 18:40
1-	]	(1011207.003. AND (SCAIGHS) NEARY HICHT)) AND INIOVER	EPO; JPO;	2002/11/14 10.40
			DERWENT;	
	1		IBM_TDB	
-	5804	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR	USPAT;	2002/11/14 19:16
		request\$3)	EPO; JPO;	
	1		DERWENT;	
	L	<u> </u>	IBM_TDB	
		0.00.22 DM Dana C		

-	49	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 NEAR4 request\$3)	USPAT; EPO; JPO;	2002/11/14 19:16
			DERWENT;	00001141144040
-	83	4914571.uref.	USPAT; EPO; JPO; DERWENT;	2002/11/14 19:10
	7	4914571.uref. AND (search\$3 NEAR2 file\$1)	IBM_TDB USPAT;	2002/11/14 19:10
-	•	45 1457 T. dict. AND (Scarolips NEALE IIIO 1)	EPO; JPO; DERWENT;	2002/1/// 10:10
-	2	5729736.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:15
	0055	(I I I I I I I I I I I I I I I I I I I	IBM_TDB	0000444444040
	6055	(broadcast\$3 OR multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	USPAT; EPO; JPO; DERWENT;	2002/11/14 19:16
-	668	(multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)	IBM_TDB USPAT; EPO; JPO;	2002/11/14 19:21
			DERWENT; IBM_TDB	
-	29	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)) AND 707/\$.ccls	USPAT; EPO; JPO; DERWENT;	2002/11/14 19:17
-	238	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 20:14
-	5	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 file\$1).ti,ab.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:22
-	51	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.) AND distributed	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 19:27
	7	///multipoetf2) NEAD9 (coorsists OD requestf3 OD	IBM_TDB	2002/11/14 10:27
-	7	(((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)).ti,ab.) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1))	USPAT; EPO; JPO; DERWENT;	2002/11/14 19:27
-	5	("5390313"   "5463578"   "5819310"   "5832522"   "5892914").PN.	IBM_TDB USPAT	2002/11/14 19:29
-	. 95	((multicast\$3) NEAR8 (search\$3 OR request\$3 OR quer\$3)) AND ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1))	USPAT; EPO; JPO; DERWENT;	2002/11/14 19:42
-	155	((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2)) NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 19:46
-	. 6	(((search\$3 OR quer\$4 OR request\$3) NEAR6 (fail\$2)) NEAR20 ((search\$3 OR quer\$4 OR request\$3) NEAR4 (database\$1 OR storage\$1))) AND (failover OR (fail ADJ1	USPAT; EPO; JPO; DERWENT;	2002/11/14 19:47
-	83	over)) 4914571.uref.	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/11/14 20:01
-	0	5729736.pn. AND multicast\$3	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 20:14

0   5729738 uref. AND multicast\$3   USPAT, EPO., IPO. DERWENT, IBM. TDB   USPAT, EPO., IPO. DERWENT, IBM. TDB   USPAT, EPO., IPO. DERWENT, IBM. TDB   USPAT, EPO., IPO., IPO					
DERWENT; ISM TOB NEAR10 (database\$1 OR storage\$1) NEAR10 (database\$1 OR storage\$1) NEAR10 (database\$1 OR storage\$1)  (multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR request\$3 OR quer\$3) NEAR20 (multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR corest) NEAR10 (database\$1 OR storage\$1)  (multicast\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR (multi ADJ1 cast\$3)) NEAR10 (database\$1 OR storage\$1)  (multicast\$3 OR (multi ADJ1 cast\$3)) NEAR10 (database\$1 OR storage\$1) NEAR10 (database\$1 OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3))  (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3))  ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))  ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))  ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))  ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR Storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))  ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR SPAT; ISM TOB USPAT; ISM	-	0	5729736.uref. AND multicast\$3		2002/11/14 20:14
USPAT;   U					
NEAR10 (dafabase\$1 OR storage\$1)				IBM_TDB	
DERWENT; IBM, TDB USPAT; Cast\$30 R (multi ADJ1 cast\$3) NEAR8 (search\$3 OR USPAT; request\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR USPAT; request\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR USPAT; request\$3 OR (multi ADJ1 cast\$3)) NEAR8 (search\$3 OR USPAT; lBM, TDB USPAT; USPAT	-	29			2002/11/14 20:16
1			NEARTO (database\$1 OR storage\$1)		
2002/11/14 20:18					
DERWENT:     DERWENT:     DERWENT:     DERWENT:   DER	-	30		USPAT;	2002/11/14 20:18
Company   Comp			request\$3 OR quer\$3)) NEAR10 (database\$1 OR storage\$1)		
22    ((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR10 ((multicast\$3 OR (multi ADJ1 cast\$3)) NEAR10 ((database\$1 OR storage\$1))					
request\$3 OR quer\$4 OR request\$3 NEAR10 (database\$1 OR storage\$1)   EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; IBM TDB USPAT; IB	_	22	//multicast\$3 OR (multi AD.I1 cast\$3)) NEAR8 (search\$3 OR		2002/11/14 20:21
Cast\$3) NEAR10 (database\$1 OR storage\$1)   DERWENT;   IBM TDB   USPAT;   EPO; JPO;   DERWENT;   IBM TDB   USPAT;					2002
23				DERWENT;	
Company   Comp			(		000044440005
28	-	23			2002/11/14 20:25
28			(Hullicastos OK (Hulli ADST castos))		
Project   Proj				IBM_TDB	
DERWENT; IBM TDB USPAT; EPO; JPO; DERWEN	-	28			2002/11/14 21:37
BM TDB			OR storage\$1) NEAR10 (multicast\$3 OR (multi ADJ1 cast\$3))		
6 (((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.) AND file\$1.ti,ab.  67 ((search\$3 OR quer\$4 OR request\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab. DERWENT: IBM_TDB USPAT; EPO; JPO; DERWENT: IBM_TDB USPAT;					
Siorage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.   EPC. JPC.   AND file\$1.ti,ab.   Storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.   Limit TDB   Limi	_	6	(((search\$3 OR guer\$4 OR reguest\$3) AND (database\$1 OR		2002/11/14 20:29
BM_TDB   Storage\$1) AND (multicast\$3) AND (database\$1 OR storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.   SPAT; EPC; JPC; DERWENT; BM_TDB   USPAT; EPC; JPC; JPC; JPC; JPC; JPC; JPC; JPC; J			storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))).ti,ab.)	EPO; JPO;	
10			AND file\$1.ti,ab.		
storage\$1) AND (multicast\$3 OR (multi ADJ1 cast\$3))),ti,ab.   EPC; JPC; DERWENT; IBM_TDB   USPAT; EP		. 67	(/coarch\$3 OP quer\$4 OP request\$3) AND (database\$1 OP		2002/11/14 20:30
- 10 (ip NEAR2 address\$2) NEAR10 different NEAR10 subnet USPAT; EPO; JPO; DERWENT; IBM, TDB USPAT; EPO; JPO; DERWENT; IBM	-	67		1	2002/11/14 20:50
10					
1   5870537.pn. AND location\$1   EPO; JPO; DERWENT; IBM_TDB USPAT; EPO;					
- 1 5870537.pn. AND location\$1		10	(ip NEAR2 address\$2) NEAR10 different NEAR10 subnet		2002/11/14 21:05
- 1 5870537.pn. AND location\$1					
1 5870537.pn. AND location\$1 USPĀT; EPO; JPO; DERWENT; IBM_TDB					
- 2 5870537.pn. AND address\$2	-	1	5870537.pn. AND location\$1		2002/11/14 21:19
- 2 5870537.pn. AND address\$2   IBM_TDB   USPAT; EPO; JPO; DERWENT; IBM_TDB   USPAT; EPO; JPO; DERWENT	]		•		
- 2 5870537.pn. AND address\$2  - 0 ("6256673" "5506984" "5870537" "5692155").pn. AND (point NEAR8 protocol)  - 0 ("6256673" "5506984" "5870537" "5692155").pn. AND (point NEAR8 protocol)  - 5 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - 3 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 5857181.uref.  - 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3					
- 0 ("6256673" "5506984" "5870537" "5692155").pn. AND (point NEAR8 protocol)  - 5 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - 3 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - 7 5857181.uref.  - 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3}    EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	-	2	5870537.pn. AND address\$2		2002/11/14 21:33
- ("6256673" "5506984" "5870537" "5692155").pn. AND (point NEAR8 protocol)  - (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR tePo; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB			,		-
- 0 ("6256673" "5506984" "5870537" "5692155").pn. AND (point NEAR8 protocol)  - 5 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - 3 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 5857181.uref.  - 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3					
NEAR8 protocol)	_	n	("6256673" "5506984" "5870537" "5692155") pp. AND (point	I IBM_TUB	2002/11/15 14:07
- S (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - 3 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 (search\$3 OR quer\$4 OR request\$3) NEAR2 (per jub					002.11710 14.07
- (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point NEAR4 protocol)  - 3 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 (Search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 USPAT; EPO; JPO; DERWENT; IBM_TDB			•	DERWENT;	1
OR storage\$1) NEAR10 (point NEAR4 protocol)    Comparison of Comparison		_	(coordbe) OB guarda OB resultante) NEADAO (database da		2002/44/44 04:22
- 3 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 USPAT; IBM_TDB USPAT; DR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 5857181.uref.  - 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ) AND broadcast\$3  - 2002/11/14 21:38  - 2002/11/16 15:30  - 2002/11/16 15:32  - 2002/11/16 15:32  - 2002/11/16 15:32  - 2002/11/16 15:32	-	່			2002/11/14 21:38   
- 3 (search\$3 OR quer\$4 OR request\$3) NEAR10 (database\$1 OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  - 7 5857181.uref.  - 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3  - 471 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3  - 471 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))) AND broadcast\$3			O. Coloragow () HELLICIO (Politic HELLICIA PROGOCOL)		
OR storage\$1) NEAR10 (point-to-point NEAR4 protocol)  FPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB				IBM_TDB	
- 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))	-	3			2002/11/14 21:38
- 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))			OK Storage\$1) NEAKTO (point-to-point NEAK4 protocol)		
- 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))					
- 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ) AND broadcast\$3  DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB		7	5857181.uref.	USPAT;	2002/11/16 15:30
- 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ) AND broadcast\$3    IBM_TDB   USPAT; EPO; JPO; DERWENT; IBM_TDB   USPAT; EPO; JPO; DERWENT; IBM_TDB   EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO					
- 2329 (manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1)))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ) AND broadcast\$3  USPAT; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB				1	
device\$1)))  - 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ) AND broadcast\$3    DERWENT;   IBM_TDB   2002/11/16 15:32   EPO; JPO; DERWENT;   IBM_TDB   IBM_TDB   IBM_TDB   EPO; JPO; DERWENT;   EPO; JPO; DERWENT;   EPO; EPO; EPO; EPO; EPO; EP	-	2329	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2		2002/11/16 15:32
- 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))) ) AND broadcast\$3				EPO; JPO;	
- 471 ((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 USPAT; 2002/11/16 15:32 device\$1))) ) AND broadcast\$3 EPO; JPO; DERWENT; IBM_TDB					
device\$1))) ) AND broadcast\$3 EPO; JPO; DERWENT; IBM_TDB	_	. 471	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2		2002/11/16 15:32
DERWENT, IBM_TDB		7,1			2002/11/10 10:02
			····	DERWENT;	
	Soarch Histo			IBM_TDB	

-	133	(manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2	USPAT;	2002/11/16 16:08
	İ	device\$1))).ab,ti. AND broadcast\$3	EPO; JPO;	
			DERWENT;	
	۔ ا	//www.martic NEAD4 /receivert1 OD /receive2 NEAD2	IBM_TDB USPAT;	2002/11/16 15:36
-	5	((manag\$6 NEAR4 (receiver\$1 OR (receiv\$3 NEAR2 device\$1))).ab,ti. AND broadcast\$3) AND (manipulat\$4	EPO; JPO;	2002/11/10 13.30
		NEAR4 (information OR data))	DERWENT;	
		NEAR4 (IIIIOIIIIalioii OR dala))	IBM TDB	
	76	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:11
-	'0	broadcast\$3 AND (manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	2002.11.10
		command\$1))	DERWENT:	
			IBM_TDB	
-	18	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT;	2002/11/16 16:15
		broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR	EPO; JPO;	
		command\$1)) NEAR20 (receive\$1 OR receiving))	DERWENT;	4
		A CONTARO de CONTARO	IBM_TDB	2000/44/46 46:47
-	23	(receiver\$1 OR (receiv\$3 NEAR2 device\$1)).ab,ti. AND	USPAT; EPO; JPO;	2002/11/16 16:17
1		broadcast\$3 AND ((manipulat\$4 NEAR10 (instruction\$1 OR command\$1)) NEAR20 (transmit\$6))	DERWENT;	
			IBM TDB	
_	147793	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8	USPAT;	2002/11/16 16:18
		(instruction\$1 OR command\$1)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	54600	(broadcast\$3 OR transmit\$4 OR receiv\$3) NEAR8	USPAT;	2002/11/16 16:19
		(instruction\$1 OR command\$1) NEAR8 (information OR data)	EPO; JPO;	
			DERWENT;	
	70500	(hanadanatés OR transmités OR rassivés) \MITU	IBM_TDB USPAT;	2002/11/16 16:19
-	76598	(broadcast\$3 OR transmit\$4 OR receiv\$3) WITH (instruction\$1 OR command\$1) WITH (information OR data)	EPO; JPO;	2002/11/10 10:19
		(mstruction \$1 Or command\$1) with (mormation or data)	DERWENT;	
	ļ		IBM TDB	
_	2048	(broadcast\$3) WITH (instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
		(information OR data)	EPO; JPO;	
			DERWENT;	•
			IBM_TDB	
-	197	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:20
		(information OR data))	EPO; JPO;   DERWENT;	
1			IBM_TDB	
_	212	(broadcast\$3) NEAR2 ((instruction\$1 OR command\$1)	USPAT:	2002/11/16 16:21
	: -	NEAR2 (information OR data))	EPO; JPO;	
		"	DERWENT;	. "
			IBM_TDB	
	149	(broadcast\$3) NEAR1 ((instruction\$1 OR command\$1)	USPAT;	2002/11/16 16:24
		NEAR2 (information OR data))	EPO; JPO;	
			DERWENT; IBM TDB	
l _	9	(broadcast\$3) WITH ((instruction\$1 OR command\$1) WITH	USPAT;	2002/11/16 16:24
_		(information OR data)) WITH manipulat\$4	EPO; JPO;	
		(	DERWENT;	
1			IBM_TDB	
-	6	("5857181" "5263156" "5530939").pn.	USPAT;	2002/11/18 05:27
	ļ		EPO; JPO;	
1			DERWENT;	
	7400	(distributed NEAR4 (databases\$1 storage\$1))	IBM_TDB   USPAT;	2003/08/01 14:37
1 -	7428	(distributed NEAR4 (database\$1 storage\$1))	EPO; JPO;	2000/00/01 14.0/
			DERWENT;	
			IBM_TDB	
-	0	((distributed NEAR4 (database\$1 storage\$1))) AND dosm	USPAT;	2003/08/01 14:37
			EPO; JPO;	
			DERWENT;	
		Water Clause of Nitta David A. L. 1964 A. 1965 AAD A. 1965 A.	IBM_TDB	2002/00/04 44:07
-	374	((distributed NEAR4 (database\$1 storage\$1))) AND (directory	USPAT;	2003/08/01 14:37
		NEAR2 (server\$1 database\$1))	EPO; JPO; DERWENT;	
			IBM_TDB	
L	1		1 10111 1 0 0	

-	154	(((distributed NEAR4 (database\$1 storage\$1))) AND (directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.	USPAT; EPO; JPO;	2003/08/01 15:15
		NEARZ (Servery) databasey ())) AND 10174.0015.	DERWENT:	
			IBM TDB	
_	87	((((distributed NEAR4 (database\$1 storage\$1))) AND	USPAT;	2004/04/29 19:49
		(directory NEAR2 (server\$1 database\$1))) AND 707/\$.ccls.)	EPO; JPO;	
		AND (replica backup duplicate)	DERWENT;	
		,	IBM_TDB	
-	2	("6442548" "6081883" "6327614").pn. AND scalab\$8	USPAT;	2003/08/04 17:17
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5692155" "5870537").pn. AND busy	USPAT;	2003/08/06 17:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(tri ADJ1 (replica backup duplicat\$3))	USPAT;	2003/08/06 17:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	266	(three ADJ1 (replica backup duplicat\$3))	USPAT;	2003/08/06 17:31
			EPO; JPO;	
			DERWENT;	
		707/00 4 I. AND I.	IBM_TDB	0000/00/00 47 00
-	1	707/204.ccls. AND tri	USPAT;	2003/08/06 17:33
			EPO; JPO;	
			DERWENT;	
		707/004 - I. AND /	IBM_TDB	0000/00/00 47:00
-	3	707/204.ccls. AND (search\$3 NEAR2 (replica duplicat\$3))	USPAT;	2003/08/06 17:32
			EPO; JPO;	
			DERWENT;	
	568	707/204.ccls.	IBM_TDB USPAT;	2003/08/06 17:33
-	300	7077204.0CIS.	EPO; JPO;	2003/06/00 17.33
			DERWENT;	
			IBM_TDB	
_	6	707/204.ccls. AND mosher.in.	USPAT;	2003/08/06 18:04
-	"	101/204.003. AND Mosher.in.	EPO; JPO;	2003/00/00 10:04
			DERWENT;	
			IBM_TDB	
<u>-</u>	8	707/204.ccls. AND distributor\$1	USPAT;	2003/08/06 18:06
		7017201100101 71170 01101110011011	EPO; JPO;	2000/00/00 10:00
		·	DERWENT;	
			IBM_TDB	
_	223	707/204.ccls. AND (recovery)	USPAT;	2003/08/06 18:07
		· "	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6360306.pn. AND redunden\$2	USPAT;	2003/08/07 15:49
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6360306.pn. AND redund\$5	USPAT;	2003/08/07 15:52
			EPO; JPO;	
			DERWENT;	
]	.	0550000 4415 4 405	IBM_TDB	000010010= 1= 5:
<del>-</del>	1	6553389.pn. AND redund\$5	USPAT;	2003/08/07 15:51
			EPO; JPO;	
			DERWENT;	
		6360306 pp. AND multiple	IBM_TDB	2002/00/07 45:50
-	2	6360306.pn. AND multiple	USPAT;	2003/08/07 15:52
			EPO; JPO;	
			DERWENT;	
<u> </u>	2	("6304980") pp	IBM_TDB USPAT;	2003/08/07 17:42
-	4	("6304980").pn.	EPO; JPO;	2003/08/07 17:42
			DERWENT;	
	1		IBM_TDB	
	<u> </u>	9:00:22 DM Page 10	סטו_ואוטי	

-	1	6081883.pn. AND (file NEAR1 name\$1)	USPAT; EPO; JPO;	2003/08/07 19:21
			DERWENT;	
			IBM_TDB	
-	1	6081883.pn. AND (backup back-up)	USPAT;	2003/08/07 19:32
			EPO; JPO;	
			DERWENT;	
	2	6360306.pn. AND multiple	IBM_TDB USPAT;	2003/08/07 19:35
-	2	OSOUSOU. Pri. AND multiple	EPO; JPO;	2003/00/07 19.55
			DERWENT;	
			IBM_TDB	
-	1	6360306.pn. AND (multiple SAME performance\$1)	USPAT;	2003/08/07 19:35
			EPO; JPO;	
			DERWENT;	
		0004000 AND :	IBM_TDB	2004/04/20 47:07
-	1	6081883.pn. AND internet	USPAT; EPO; JPO;	2004/04/29 17:07
			DERWENT;	
			IBM_TDB	
-	1	6081883.pn. AND name\$1	USPAT;	2004/04/29 17:31
			EPO; JPO;	
			DERWENT;	
		0000000 AND 1 05	IBM_TDB	0004/04/00 40:40
-	1	6360306.pn. AND natur\$5	USPAT; EPO; JPO;	2004/04/29 19:12
			DERWENT:	·
			IBM_TDB	
_	1	6081883.pn. AND (select\$3 cho\$6)	USPAT;	2004/04/29 19:13
		(**************************************	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	6360306.pn. AND (select\$3 cho\$6)	USPAT;	2004/04/29 19:13
	ļ		EPO; JPO; DERWENT;	
			IBM_TDB	
_	1	dosm	USPAT;	2004/04/29 19:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15729	distribut\$4 NEAR4 storage\$1	USPAT;	2004/04/29 19:51
		•	EPO; JPO;   DERWENT;	
			IBM_TDB	
<u>-</u>	331	(distribut\$4 NEAR4 storage\$1) AND (storage\$1 NEAR4	USPAT;	2004/04/29 19:51
		port\$1)	EPO; JPO;	
			DERWENT;	
	_	// Portille Ind A NEAD A	IBM_TDB	0004/64/00 15 55
-	5	((distribut\$4 NEAR4 storage\$1) AND (storage\$1 NEAR4	USPAT;	2004/04/29 19:53
		port\$1)) AND (virtual NEAR2 file\$1 NEAR2 system\$1)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	48	(distribut\$4 NEAR4 storage\$1) AND (virtual NEAR2 file\$1	USPAT;	2004/04/29 19:56
		NEAR2 system\$1)	EPO; JPO;	
			DERWENT;	
	4704	(distributed NEAD4 stores edd) AND (707/6 sets 700/6	IBM_TDB	0004/04/00 40:57
-	1704	(distribut\$4 NEAR4 storage\$1) AND (707/\$.ccls. 709/\$.ccls. 711/\$.ccls.)	USPAT; EPO; JPO;	2004/04/29 19:57
		/ ι ι/ψ.υσο. <i>)</i>	DERWENT;	
·		·	IBM_TDB	
-	651	((distribut\$4 NEAR4 storage\$1) AND (707/\$.ccls. 709/\$.ccls.	USPAT;	2004/04/29 19:58
		711/\$.ccls.)) AND (storage\$1 NEAR4 (controller\$1 mover\$1	EPO; JPO;	
		processor\$1))	DERWENT;	
	440	///diatribut\$4 NEAD4 atarasa\$4) AND /707/\$ and 700/\$ and	IBM_TDB	2004/04/20 40:50
-	119	(((distribut\$4 NEAR4 storage\$1) AND (707/\$.ccls. 709/\$.ccls. 711/\$.ccls.)) AND (storage\$1 NEAR4 (controller\$1 mover\$1	USPAT; EPO; JPO;	2004/04/29 19:58
		processor\$1))) AND (load NEAR3 balanc\$3)	DERWENT;	
		Production of the state of the	IBM_TDB	